

SAFETY DATA SHEET

Issuing Date 01 June 2017 Revision Date 29.05.17 Version 2.3A

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Sentinel X700 (old formula)

Pure substance/mixture Mixture.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sanitiser and biocide for underfloor heating systems.

Uses advised against None known.

1.3 Details of the supplier of the safety data sheet

Company Information SENTINEL PERFORMANCE SOLUTIONS LTD

7650 Daresbury Park

Warrington Cheshire WA4 4BS United Kingdom

Telephone +44 (0) 1928 704 330 **Fax** +44 (0) 1928 562 070

For further information, please contact:

E-mail Address <u>info.uk@sentinelprotects.com</u>

1.4 Emergency telephone

Emergency telephone +44 (0) 1928 704 339 (24 hours/ 7 days)

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP/GHS)

Signal Word

None

Hazard Statements

None

Precautionary statements

None

2.3 Other hazards

May cause skin and eye irritation. Ingestion may cause irritation of the gastrointestinal tract.

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT) This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Old version X700

| Chemical Name | EC-No | CAS-No | w/w% | Classification (EU Reg. 1272/2008) | REACH Registration Number |
|-------------------|-----------|-----------|------|--|---------------------------------|
| Hydrogen peroxide | 231-765-0 | 7722-84-1 | 3 | Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Ox. Liq. 1 (H271)* | 01-2119485845-22- XXXX |

For the full text of H-Statements see Section 16

^{*} Substance with Workplace Exposure Limit. See Section 8.

Section 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If symptoms develop obtain medical attention.

Skin contact Remove contaminated clothing and shoes. Wash off immediately with soap and plenty of

water. If symptoms develop obtain medical attention.

Ingestion Do NOT induce vomiting. Wash out mouth with water and give 100 - 200 ml of water to

drink. If symptoms develop obtain medical attention.

Inhalation Remove patient from exposure, keep warm and at rest. If symptoms develop obtain

medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Main Symptoms May cause skin and eye irritation. Ingestion may cause irritation of the gastrointestinal

tract.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

Water spray, Foam, Dry powder, Carbon dioxide (CO₂).

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors: Nitrogen oxides (NOx).

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Cool containers / tanks with water spray.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with the skin and the eyes. Avoid inhalation of mists or vapor. Use personal protective equipment.

6.2 Environmental precautions

Not required

ΕN

6.3 Methods and materials for containment and cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

Section 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Do not eat, drink or smoke during work. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original container/package in a cool well-ventilated place. Keep away from heat and sources of ignition. Keep away from direct sunlight. Protect from frost.

7.3 Specific end use(s)

Sanitiser and biocide for underfloor heating systems.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Chemical Name | Hydrogen peroxide | | |
|--------------------|--|--|--|
| | 7722-84-1 | | |
| The United Kingdom | STEL: 2 ppm | | |
| | STEL: 2.8 mg/m ³ | | |
| | TWA: 1 ppm | | |
| | TWA: 1.4 mg/m ³ | | |
| France | TWA: 1 ppm | | |
| | TWA: 1.5 mg/m ³ | | |
| Spain | TWA: 1 ppm | | |
| | TWA: 1.4 mg/m³ | | |
| Germany | TWA: 0.5 ppm | | |
| | TWA: 0.71 mg/m ³ | | |
| | Ceiling / Peak: 0.5 ppm | | |
| | Ceiling / Peak: 0.71 mg/m ³ | | |
| Portugal | TWA: 1 ppm | | |
| Finland | TWA: 1 ppm | | |
| | TWA: 1.4 mg/m³ | | |
| | STEL: 3 ppm | | |
| | STEL: 4.2 mg/m ³ | | |
| Denmark | TWA: 1 ppm | | |
| | TWA: 1.4 mg/m³ | | |
| Austria | STEL 2 ppm | | |
| | STEL 2.8 mg/m ³ | | |
| | TWA: 1 ppm | | |
| Overline of a set | TWA: 1.4 mg/m ³ | | |
| Switzerland | STEL: 0.5 ppm | | |
| | STEL: 0.71 mg/m ³ | | |
| | TWA: 0.5 ppm | | |
| Delevel | TWA: 0.71 mg/m ³ | | |
| Poland | STEL: 4 mg/m ³ | | |
| Namurau | TWA: 1.5 mg/m ³ | | |
| Norway | TWA: 1 ppm | | |
| | TWA: 1.4 mg/m ³ | | |
| | STEL: 3 ppm | | |
| Incland | STEL: 2.8 mg/m³ | | |
| Ireland | TWA: 1 ppm | | |
| | TWA: 1.5 mg/m³ STEL: 2 ppm | | |
| | STEL: 2 ppm | | |
| | STEL: 3 mg/m ³ | | |

Derived No Effect Level (DNEL)

No information available

Sentinel X700

Predicted No Effect Concentration

(PNEC)

No information available

8.2 Exposure controls

Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction, to ensure that

occupational exposure limits are not exceeded.

Personal protective equipment

Eye Protection Goggles (EN 166)

Hand Protection Protective gloves (EN 374) Skin and body protection Long sleeved clothing

Respiratory protection Not normally required. In case of insufficient ventilation wear suitable respiratory

No information available

equipment

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls Not normally required

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Odor Odorless Color Colorless **Odor Threshold** Not applicable

Property Values Remarks • Methods

pН 2 - 2.5@ 20 °C

Melting/freezing point -3 °C

Freezing Point

Boiling point/boiling range 100 °C

Flash Point > 100 °C

Evaporation rate No information available Flammability (solid, gas) Not applicable

Flammability Limits in Air No information available

upper flammability limit lower flammability limit

Vapor pressure 2.3 @ 20°C (kPa)

Vapor density No information available

Relative density 1.03 @ 20 °C

Water solubility Miscible Solubility in other solvents No information available

Partition coefficient: No information available n-octanol/water

Auto-ignition temperature No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available

Viscosity, dynamic Not explosive **Explosive properties**

Not oxidizing

9.2 Other information

Oxidizing properties

No information available

ΕN

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

Attacks many metals.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Alkalis.

10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors: Nitrogen oxides (NOx).

Section 11: TOXICOLOGICAL INFORMATION

Inhalation No known effect based on information supplied.

Eye contact Skin contactMay cause eye irritation.

May cause skin irritation.

Ingestion Ingestion may cause irritation of the gastrointestinal tract.

11.1 Information on toxicological effects

Acute toxicity

ΕN

LD50 Oral: > 2000 mg/kg (rat) **LC50 Inhalation:** > 2000 ppm (rat) (4-hr)

| | Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|------------------|----------------|-------------------------------|-----------------|
| H | ydrogen peroxide | 801mg/kg (Rat) | 4060 mg/kg (Rat) 2000 mg/kg (| 2 mg/L (Rat)4 h |
| | | | Rabbit) | |

Skin corrosion/irritationBased on available data, classification criteria are not met.

Serious eye damage/irritation Based on available data, classification criteria are not met.

Respiratory or skin sensitisation Based on available data, classification criteria are not met.

Mutagenicity Based on available data, classification criteria are not met.

Carcinogenicity Based on available data, classification criteria are not met.

| Chemical Name | European Union | IARC |
|-------------------|----------------|---------|
| Hydrogen peroxide | - | Group 3 |

Reproductive toxicity Based on available data, classification criteria are not met.

STOT - Single exposureBased on available data, classification criteria are not met.

STOT - Repeated exposureBased on available data, classification criteria are not met.

Sentinel X700

Aspiration hazard Based on available data, classification criteria are not met.

Other information No information available.

Section 12: ECOLOGICAL INFORMATION

12.1 Toxicity

LC₅₀ (Rainbow Trout): 1166 mg/l/96h

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|-------------------|--------------------------------|------------------|---|
| Hydrogen peroxide | EC50: 2.5 mg/L 72 h (Chlorella | - | EC50: 7.7 mg/L 24 h (Daphnia |
| | vulgaris) | | magna) EC50: 18 - 32 mg/L 48 h |
| | - ' | | Static (Daphnia magna) |

WGK Classification 1

12.2 Persistence and degradability

Product is biodegradable.

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from residues / unused products

Disposal should be in accordance with local, state or national legislation.

Contaminated packaging

Clean container with water. Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Sentinel X700

Section 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

| | | ADR/RID/ADN | ICAO/IATA | IMDG / IMO | |
|-------|--|---|----------------|----------------|--|
| 14.1 | UN Number | - | - | - | |
| 14.2 | UN proper shipping name | - | - | - | |
| 14.3 | Transport hazard class(es) | - | - | - | |
| 14.4 | Packing group | - | - | - | |
| 14.5 | Environmental Hazards | Not Classified | Not Classified | Not Classified | |
| 14.6 | Special precautions for user | No special precautions are needed in handling this material | | | |
| to Ar | Transport in bulk according nex II of MARPOL 73/78 and BC Code | | - | | |

Section 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulations (EC) No. 1907/2006 and No. 830/2015

WGK Classification 1

15.2 Chemical Safety Assessment

Chemical Safety Assessment has not been carried out.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H271 - May cause fire or explosion; strong oxidizer

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

Issuing Date 01 June 2017

Revision Date 27.06.17

Revision Note All sections.

Disclaimer

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures.

Note: This SDS is for old version of X700